BotaniClean®

Broad Spectrum Disinfectant *Cleans ~ Disinfects ~ Deodorizes*

Ready To Use Kills 99.9% of Germs*

Germicide ~ Fungicide Tuberculocide ~ Virucide** Botanical Hospital Disinfectant

Active Ingredient:	Thymol	0.051%
Inert Ingredients		99.949%

KEEP OUT OF REACH OF CHILDREN EPA REG NO. 34810-25-70385 EPA EST. NO. 34810-M0-1 NET Contents: 0.79 Gallons (3 liters)

Sold by: ProRestore™ Products 15180 Josh Wilson Rd., Burlington, WA 98233



Reorder: 101812 L.13180 REV E BotaniClean is a germicidal detergent with broad spectrum kill of gram positive and gram negative microorganisms formulated to clean, disinfect and deodorize in a simple one-step process when used according to disinfection directions. Botanical surface cleaner contains natural essential oil. Non-corrosive ingredients.

BotaniClean is an effective one-step cleaner disinfectant for working surfaces, including stainless steel, chrome, plass and vinyl. For use on washable hard, nonporous surfaces in Healthcare Facilities. Nurseries, Emergency Vehicles, Dental Offices, Medical Offices, Schools, Hospitals, Nursing Homes, Police Cars, EMS & Fire Facilities, Classrooms, Day care centers, Gyms, Veterinary Clinics, Kennels, Institutional kitchens, Institutional facilities, Bathrooms, Helps reduce the risk of crosscontamination between treated hard nonporous surfaces. Intended for use on the following washable hard, nonporous surfaces; stainless steel, chrome, glass, vinvl, glazed porcelain, metal, plastic, glazed tile, ambulance patient care surfaces, anesthesia equipment surfaces, baby/infant care surfaces, backboards, bathing units, bathrooms, bed railings, blood pressure devices, cabinets, chairs, changing tables, computer surfaces, countertops, CT equipment/surfaces, curing lights, dental equipment surfaces/devices, doorknobs, floors, garbage cans, highchairs, infant care equipment, keyboards, laboratory equipment/surfaces, lights, light lens covers, lumens, medical equipment surfaces/devices, microscopes, MRI equipment surfaces, neonatal/nursery surfaces, obstetrical equipment surfaces, operating room lights/tables, ophthalmic equipment surfaces/devices, optical wear (excluding contact lenses), oxygen hoods, patient bed surfaces, patient stretchers, patient transport surfaces, physical therapy equipment, play-care equipment, play mats, radiology equipment surfaces, respirators, respiratory care equipment surfaces, sinks, soaking containers, stalls, shower floors/walls, skin care equipment/surfaces, surgical equipment surfaces, surgical microscopes, tables, telephones, toilets (rims, seats and exterior surfaces), toys, transportation equipment surfaces, travs, walls, work stations and x-ray equipment/surfaces, Low-residue formula.

Note: Do not use on unpainted wood or natural marble or brass. For plastic and painted surfaces, spot test on an inconspicuous area before use.

DIRECTIONS FOR USE: It is a violation of Federal Law to use the product in a manner inconsistent with its labeling.

CLEANING AND DISINFECTING DIRECTIONS: Visible soil must be removed before applying cleaning solution. Apply to hard, nonporous surfaces by cloth, sponge, brush, coarse spray or by immersing equipment using normal cleaning methods. All hard surfaces must be wet thoroughly, and remain wet for at least 10 minutes and allowed to air dry. Thoroughly rinse all wetted and cleaned food contact surfaces with potable water. As the solution becomes dirty discard and replace with resh solution. This is a complete product.

DO NOT MIX WITH OTHER CHEMICALS.

TO SANITIZE: Preclean. Wet surfaces with BotaniClean. Let stand for one minute on hard, non-porous, food contact surfaces. Wipe or let air dry.

No rinsing or wiping is required, except on food contact surfaces which require a potable water rinse after disinfection.

ODOR CONTROL: It effectively controls odors by killing odor-causing bacteria while simultaneously chemically neutralizing their odors and leaving a pleasant fragrance. Follow "CLEANING AND DISINFECTING DIRECTIONS".

TO CLEAN, DEODORIZE AND REMOVE DEBRIS FROM CARPETS AND FABRICS:

To Spot Clean: Blot or scrub area to be treated with BotaniClean solution to remove soiling. Wipe dry with clean cloth or towel. To Deep Clean Carpets, Upholstery and Fabrics: Vacuum to remove loose dirt and soiling. Thoroughly moisten with product using coarse tip pressure sprayer and rake or brush into nap. Clean treated areas using clean water extraction method, such as portable or truck-mounted carpet cleaning machine or upholstery cleaning machine. Allow to dry thoroughly prior to using. Always spot test in inconspicuous area prior to application for compatibility. Deodorizing and Cleaning of Carpet/Fabrics: To deodorize and clean carpets, tabrics, and other materials: BotaniClean can be used on most fabrics that can be cleaned with water-based cleaners. Not for use on wool, silk, or suede. Always test for color fastness and material compatibility in an inconspicuous area prior to use. Apply by sprayer, to ensure even coverage and allow for 10 minute contact time. Do not rinse, use hot water extraction wand to remove product from treated surfaces and then dry stroke carpet to remove excess moisture. Carpet can be air dried or fans may be used if carpet needs to dry more quickly.

DECONTAMINATION OF CRITICAL OR SEMI-CRITICAL DEVICES PRIOR TO TERMINAL STERILIZATION/HIGH LEVEL DISINFECTION: This product is not to be used as a terminal

STERILZATION/INGELEVEL DISINFECTION: This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

**BotaniClean KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in all settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS virus).

SPECIAL INSTRUCTION'S FOR CLEANING AND DECONTAMINATING SURFACES/ OBJECTS SOILED WITH BLOOD AND BODY FLUIDS WHICH MAY CONTAIN HIV-1 (AIDS virus). PERSONAL PROTECTION: Wear disposable rubber or latex gloves, face masks and eve coverings when performing manual cleaning of these surfaces.

CONTACT TIME: Leave surfaces wet for 1 minute. This contact time will not control other common types of viruses and bacteria.

ÉLEANING PROCEDURE: The solution may be used to remove and clean blood and other body fluids from surfaces and objects before disinfection. For lightly soiled areas wipe off visual soil/clean with solution, and disinfect surface with a second application of the solution. For large spills the contaminated area must be flooded with the solution before cleaning, then decontaminated with fresh solution.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids must be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

*BACTERICIDAL ACTIVITY: in the presence of 5% serum at 20°C for 10 minutes: Pseudomonas aeruginosa (ATCC 15442), Staphylococcus aureus (ATCC 6538), Salmonella enterica (ATCC 10708), Methicillin resistant Staphylococcus aureus (MRSA)⁴, Methicillin resistant Staphylococcus aureus (TNSR) (ATCC 27659), Gentamicin Methicillin resistant Staphylococcus aureus (INSR) (ATCC 33592), Penicillin resistant Staphylococcus aureus (PR) (ATCC 11631), Vancomycin Resistant Enterococcus Faecalis (VRE) (ATCC 51575) ⁴Clinical Isolates.

TUBERCULOCIDAL at 20°C / 68°F for 10 minutes on previously cleaned hard non-porous inanimate surfaces. Mycobacterium bovis TB.

FUNGICIDAL in the presence of 5% blood serum for 10 minutes: Trichophyton interdigitale (ATCC 9533).

VIRUCIDAL^{**} in the presence of 50% blood serum at 20°C for 1 minute: SARS-CoV-2 (Strain USA-WA1/2020). In the presence of 10% serum at 20°C for 1 minute: Human immunodeficiency virus (HIV) (Strain IIIB) (2eptometrix). In the presence of 5% blood serum at 20°C for 5 minutes: Respiratory Syncytial Virus (cold virus), Feline calicivirus (surrogate for Norovirus), Hepatitis C Virus (HCV), Human Rotavirus, and Influenza A Virus (flu virus) (Strain Hong Kong). In the presence of 5% serum at 20°C for 10 minutes: Herpes Simplex Virus Type 2, Vaccinia Virus, Human Adenovirus 5 (ATCC VR-5)

SANITIZING: FOOD CONTACT SANITIZER, 60 seconds, Staphylococcus aureus, Escherichia coli

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store at room temperature in a secure area inaccessible to children. PESTICIDE DISPOSAL: Use up product in accordance to use directions. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposed facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill empty container. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

No Warning Labels or First Aid Statements required. 20