

Safety Data Sheet

1. Identification

| | |
|------------------------------------|---|
| Product Information. | 114619/103550/103749 |
| Product Name: | Unsmoke DegreaseAll |
| Recommended Use. | Professional Degreaser |
| Uses advised against. | Professional Use Only |
| Supplier. | Legend Brands ProRestore Products 15180 Josh Wilson Road Burlington, WA 98233 E-Mail: sds@legendbrands.com 800-932-3030 Legend Brands 4520 Eastgate Parkway Mississauga, ON L4W 3W6 800-932-3030 |
| Emergency telephone number. | INFOTRAC 1-800-535-5053 (North America) +1-352-323-3500 (International) |

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

Serious Eye Damage, category 1

Skin Corrosion, category 1

GHS Pictograms



Signal Word

Danger

Unknown Acute Toxicity

1.2% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Causes severe skin burns and eye damage.

Causes serious eye damage.

Precautionary Statements - Prevention.

Do not breathe dust/fume/gas/mist/ vapors/spray.

Wash face and hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Wash contaminated clothing before reuse.

Precautionary Statements - Storage.

Store locked up.

Precautionary Statements - Disposal.

Dispose of contents in accordance with local/regional/national/international regulations.

3. Composition/Information on Ingredients

| <u>Chemical Name</u> | <u>CAS-No.</u> | <u>Wt. %</u> |
|------------------------------|----------------|--------------|
| 2-(2-BUTOXYETHOXY)ETHANOL | 112-34-5 | 10-25 |
| Ethoxylated alcohols, C9-C11 | 68439-46-3 | 2.5-10 |
| Sodium Metasilicate | 6834-92-0 | 1.0-2.5 |
| Sodium Sesquicarbonate | 533-96-0 | 1.0-2.5 |
| Ammonium hydroxide | 1336-21-6 | 0.1-1.0 |

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.

General advice.

Call a physician if irritation develops or persists. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation.

Move to fresh air. If symptoms persist, call a physician. If not breathing, give artificial respiration.

Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. Call a physician immediately.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Gently wipe or rinse the inside of the mouth with water.

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray, fog, Carbon dioxide (CO₂), foam or dry chemical.

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

Special hazards arising from the substance or mixture.

Hazardous decomposition products formed under fire conditions.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Use personal protection recommended in Section 8.

Environmental precautions.

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use personal protective equipment.

Methods for cleaning up.

Use personal protective equipment as required.

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.

Hygiene measures.

See section 7 for more information.

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place. Store in original container.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

| <u>Chemical Name</u> | <u>ACGIH TLV-TWA</u> | <u>ACGIH-TLV STEL</u> | <u>OSHA PEL-TWA</u> | <u>OSHA PEL-CEILING</u> |
|---------------------------|----------------------|-----------------------|---------------------|-------------------------|
| 2-(2-BUTOXYETHOXY)ETHANOL | 10 ppm | N.E. | N.E. | N.E. |

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Ensure adequate ventilation, especially in confined areas. Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear impervious rubber clothing if needed to prevent contact with liquid material. Wear suitable protective clothing.

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

| | |
|--|--------------------------|
| Physical state | Liquid |
| Appearance | Colored liquid |
| Color | Blue |
| Odor | Ammonia |
| Odor Threshold | No Information |
| pH | 12.5 |
| Melting/freezing point., °C (°F) | No Information |
| Flash Point., °C (°F) | >94 (>201.20) |
| Boiling point/boiling range., °C (°F) | 100 - 260 (212 - 500) |
| Evaporation rate | No Information Available |
| Explosive properties. | No Information |
| Vapor pressure. | No Information |
| Vapor density. | No Information |
| Specific Gravity. (g/cm³) | 1.020 |
| Water solubility. | No Information |
| Partition coefficient. | No Information |
| Autoignition temperature., °C | No Information |
| Decomposition Temperature °C. | No Information |
| Viscosity, kinematic. | No Information |
| Other information. | |
| Volatile organic compounds (VOC) content. | No Information |
| Density, lb/gal | No Information |

10. Stability and Reactivity

Reactivity.

Stable under normal conditions.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

None known based on information supplied.

Conditions to Avoid.

Direct sources of heat.

Incompatible Materials.

Aldehydes. Ketones. Sodium hypochlorite. Acids. Alcohols. Oxidizing agents.

Hazardous Decomposition Products.

None known.

11. Toxicological Information

Information on toxicological effects.

Acute toxicity.

Product Information

| | | |
|-----------------------|--------------------------------|-------------------------|
| LD50 Oral OralLD50 | LD50 Dermal 15,929.00 mg/kg | LC50 Inhalation N.I. |
|-----------------------|--------------------------------|-------------------------|

Component Information.

| <u>CAS-No.</u> | <u>Chemical Name</u> | <u>LD50 Oral</u> | <u>LD50 Dermal</u> | <u>LC50 Inhalation</u> |
|----------------|---------------------------|------------------|----------------------|------------------------|
| 112-34-5 | 2-(2-BUTOXYETHOXY)ETHANOL | 5660 mg/kg Rat | 2700 mg/kg Rabbit | N.I. |
| 6834-92-0 | Sodium Metasilicate | 1153 mg/kg Rat | N.I. | N.I. |
| 1336-21-6 | Ammonium hydroxide | 350 mg/kg Rat | N.I. | N.I. |

N.I. = No Information

Skin corrosion/irritation.

SKIN IRRITANT.

Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

No Information

Reproductive toxicity.

No Information

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information

Toxicity.

4.68% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|---|--|--|---|
| 2-(2-BUTOXYETHOXY) ETHANOL 112-34-5 | EC50 96 h <i>Desmodesmus subspicatus</i> >100 mg/L | LC50 96 h <i>Lepomis macrochirus</i> 1300 mg/L | EC50 48 h <i>Daphnia magna</i> >100 mg/L |
| Sodium Metasilicate 6834-92-0 | - | LC50 96 h <i>Brachydanio rerio</i> 210 mg/L, LC50 96 h <i>Brachydanio rerio</i> 210 mg/L | - |
| Ammonium hydroxide 1336-21-6 | - | LC50 96 h <i>Pimephales promelas</i> 8.2 mg/L | EC50 48 h water flea 0.66 mg/L, EC50 48 h <i>Daphnia pulex</i> 0.66 mg/L |

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

| | | |
|----------------|---------------------------|----------------|
| CAS-No. | Chemical Name | log POW |
| 112-34-5 | 2-(2-BUTOXYETHOXY)ETHANOL | 1 |

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations**Waste Disposal Guidance.**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information**DOT**

Shipping Name: CORROSIVE LIQUID, N.O.S.. (AMMONIUM HYDROXIDE AND DISODIUM TRIOXOSILICATE)
Hazard Class: 8
UN/NA Number: 1760
Packing Group: III
Additional Information: Limited quantity when shipped in 1 gallon (3.8 L) or less

IMDG

Proper Shipping Name: CORROSIVE LIQUID, N.O.S.. (AMMONIUM HYDROXIDE AND DISODIUM TRIOXOSILICATE)
Hazard Class: 8
UN Number: 1760
Packing Group: III
Additional Information: Limited quantity when shipped in 1 gallon (3.8 L) or less

IATA

Air transport is not recommended.

15. Regulatory Information**International Inventories:**

| | |
|---------------|----------|
| TSCA | Complies |
| DSL | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | - |
| ENCS | Complies |
| IECSC | Complies |
| KECI | Complies |
| PICCS | Complies |
| AICS | Complies |
| NZIoC | Complies |

TCSI

| | |
|---------------|---|
| TSCA | United States Toxic Substances Control Act Section 8(b) Inventory. |
| DSL | Canadian Domestic Substances List. |
| DSL/NDSL | Canadian Domestic Substances List/Canadian Non-Domestic Substances List |
| EINECS/ELINCS | European Inventory of Existing Commercial Substances/ European List of notified Chemical Substances |
| ENCS | Japan Existing and New Chemical Substances. |
| IECSC | China Inventory of Existing Chemical Substances. |
| KECL | Korean Existing and Evaluated Chemical Substances. |
| PICCS | Philippines Inventory of Chemicals and Chemical Substances. |
| AICS | Australian Inventory of Chemical Substances. |
| NZIoC | New Zealand Inventory of Chemicals. |
| TCSI | Taiwan Chemical Substance Inventory |

U.S. Federal Regulations:**SARA SECTION 313:**

This product does not contain any chemicals that are subject to the reporting requirements of SARA 313.

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

CALIFORNIA PROPOSITION 65 CARCINOGENS**WARNING**

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:.

Chemical Name

Ethylene oxide

CAS-No.

75-21-8

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**WARNING**

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Chemical Name

Ethylene oxide

CAS-No.

75-21-8

16. Other Information

Revision Date: 6/6/2022 **Supersedes Date:** 3/14/2019

Reason for revision: Revision Description Changed
 Product Composition Changed
 Substance and/or Product Properties Changed in Section(s):
 01 - Product Information
 02 - Hazards Identification
 03 - Composition/Information on Ingredients
 09 - Physical & Chemical Information
 11 - Toxicological Information
 12 - Ecological Information
 14 - Transportation Information
 15 - Regulatory Information
 16 - Other Information
 Revision Statement(s) Changed

Datasheet produced by: Regulatory Department

HMIS Ratings:

| | | | | | | | |
|----------------|---|----------------------|---|-------------------------|---|-----------------------------|---|
| Health: | 3 | Flammability: | 1 | Physical Hazard: | 0 | Personal Protection: | X |
|----------------|---|----------------------|---|-------------------------|---|-----------------------------|---|

NFPA Ratings:

| | | | | | | | |
|----------------|---|----------------------|---|---------------------|---|---------------------------------|---|
| Health: | 3 | Flammability: | 1 | Instability: | 0 | Physical & Chemical: | - |
|----------------|---|----------------------|---|---------------------|---|---------------------------------|---|

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

